

# SUNO™




7 211 35/76/77, 7 212 76/77  
7 213 35/76/77, 7 214 35/76/77



<p>7 211 35 7 213 35 7 214 35</p> <p>• IP44</p>	<p>①</p>	<p>②</p>	<p>③</p>	<p>④</p>	PIR
					5 ... 1275 lux
<p>7 211 77 7 212 77 7 213 77 7 214 77</p>	<p>①</p>	<p>②</p>	<p>③</p>	<p>④</p>	00:00:10 ... 00:10:00
					8 m
<p>7 211 76 7 212 76 7 213 76 7 214 76</p>	<p>①</p>	<p>②</p>	<p>③</p>	<p>④</p>	120°
					100 - 240 V~
					50 / 60 Hz
					8 mm / 2 x 2,5 mm <sup>2</sup>
					-10°C .. +70°C
					-5°C .. +35°C

... 35	110 V~	3 W ... 125 W	3 VA ... 125 VA	3 VA ... 125 VA	3 VA ... 125 VA	3 VA ... 125 VA	3 VA ... 125 VA	3 VA ... 125 VA	3 VA ... 125 VA	3 VA ... 125 VA	3 W ... 50 W	3 W ... 50 W	0,4 A
... 76	230 V~	3 W ... 250 W	3 VA ... 250 VA	3 VA ... 250 VA	3 VA ... 250 VA	3 VA ... 250 VA	3 VA ... 250 VA	3 VA ... 250 VA	3 VA ... 250 VA	3 VA ... 250 VA	3 W ... 100 W	3 W ... 100 W	0,4 A
... 77	230 V~	400 W	200 VA	150 VA	150 VA	200 VA	150 VA	150 VA	200 VA	200 VA	200 W	50 W	0,2 A

LE1232AA



7 211 35/76  
 7 212 76  
 7 213 35/76  
 7 214 35/76

