


FLOODLIGHT 69W – 167W



LEDVANCE




	EAN	l x w x h [mm]	W*	V _{AC}	Hz	lm*	lm/W	K
FL 100 P 69W 10KLM 830 PS SY100 BK	4099854306082	236x267x52	69	220-240V	50/60Hz	9150	133	3000
FL 100 P 69W 10KLM 830 PS SY100 WT	4099854306143	236x267x52	69	220-240V	50/60Hz	9150	133	3000
FL 100 P 69W 10KLM 840 PS SY100 BK	4099854306167	236x267x52	69	220-240V	50/60Hz	10000	145	4000
FL 100 P 69W 10KLM 840 PS SY100 WT	4099854306181	236x267x52	69	220-240V	50/60Hz	10000	145	4000
FL 100 P 69W 10KLM 865 PS SY100 BK	4099854306204	236x267x52	69	220-240V	50/60Hz	10000	145	6500
FL 100 P 69W 10KLM 865 PS SY100 WT	4099854306228	236x267x52	69	220-240V	50/60Hz	10000	145	6500
FL 150 P 100W 15KLM 830 PS SY100 BK	4099854306242	266x343x55	100	220-240V	50/60Hz	14000	140	3000
FL 150 P 100W 15KLM 830 PS SY100 WT	4099854306266	266x343x55	100	220-240V	50/60Hz	14000	140	3000
FL 150 P 100W 15KLM 840 PS SY100 BK	4099854306280	266x343x55	100	220-240V	50/60Hz	15000	150	4000
FL 150 P 100W 15KLM 840 PS SY100 WT	4099854306303	266x343x55	100	220-240V	50/60Hz	15000	150	4000
FL 150 P 100W 15KLM 865 PS SY100 BK	4099854306327	266x343x55	100	220-240V	50/60Hz	15000	150	6500
FL 150 P 100W 15KLM 865 PS SY100 WT	4099854306341	266x343x55	100	220-240V	50/60Hz	15000	150	6500
FL 200 P 133W 20KLM 830 PS SY100 BK	4099854306365	294x376x58	133	220-240V	50/60Hz	18600	140	3000
FL 200 P 133W 20KLM 830 PS SY100 WT	4099854306389	294x376x58	133	220-240V	50/60Hz	18600	140	3000
FL 200 P 133W 20KLM 840 PS SY100 BK	4099854306402	294x376x58	133	220-240V	50/60Hz	20000	150	4000
FL 200 P 133W 20KLM 840 PS SY100 WT	4099854306426	294x376x58	133	220-240V	50/60Hz	20000	150	4000
FL 200 P 133W 20KLM 865 PS SY100 BK	4099854306464	294x376x58	133	220-240V	50/60Hz	20000	150	6500
FL 200 P 133W 20KLM 865 PS SY100 WT	4099854306488	294x376x58	133	220-240V	50/60Hz	20000	150	6500
FL 250 P 167W 25KLM 830 PS SY100 BK	4099854306563	329x409x61	167	220-240V	50/60Hz	23400	140	3000
FL 250 P 167W 25KLM 830 PS SY100 WT	4099854306587	329x409x61	167	220-240V	50/60Hz	23400	140	3000
FL 250 P 167W 25KLM 840 PS SY100 BK	4099854306600	329x409x61	167	220-240V	50/60Hz	25000	150	4000
FL 250 P 167W 25KLM 840 PS SY100 WT	4099854306624	329x409x61	167	220-240V	50/60Hz	25000	150	4000
FL 250 P 167W 25KLM 865 PS SY100 BK	4099854306648	329x409x61	167	220-240V	50/60Hz	25000	150	6500
FL 250 P 167W 25KLM 865 PS SY100 WT	4099854306662	329x409x61	167	220-240V	50/60Hz	25000	150	6500


FLOODLIGHT 69W-167W









	EAN	IP	IK	∠	R _a	Δ (°C)	PF	⊞
FL 100 P 69W 10KLM 830 PS SY100 BK	4099854306082	66	08	100°	≥80	-30...+50	> 0.9	1.7 kg
FL 100 P 69W 10KLM 830 PS SY100 WT	4099854306143	66	08	100°	≥80	-30...+50	> 0.9	1.7 kg
FL 100 P 69W 10KLM 840 PS SY100 BK	4099854306167	66	08	100°	≥80	-30...+50	> 0.9	1.7 kg
FL 100 P 69W 10KLM 840 PS SY100 WT	4099854306181	66	08	100°	≥80	-30...+50	> 0.9	1.7 kg
FL 100 P 69W 10KLM 865 PS SY100 BK	4099854306204	66	08	100°	≥80	-30...+50	> 0.9	1.7 kg
FL 100 P 69W 10KLM 865 PS SY100 WT	4099854306228	66	08	100°	≥80	-30...+50	> 0.9	1.7 kg
FL 150 P 100W 15KLM 830 PS SY100 BK	4099854306242	66	08	100°	≥80	-30...+50	> 0.9	2.8 kg
FL 150 P 100W 15KLM 830 PS SY100 WT	4099854306266	66	08	100°	≥80	-30...+50	> 0.9	2.8 kg
FL 150 P 100W 15KLM 840 PS SY100 BK	4099854306280	66	08	100°	≥80	-30...+50	> 0.9	2.8 kg
FL 150 P 100W 15KLM 840 PS SY100 WT	4099854306303	66	08	100°	≥80	-30...+50	> 0.9	2.8 kg
FL 150 P 100W 15KLM 865 PS SY100 BK	4099854306327	66	08	100°	≥80	-30...+50	> 0.9	2.8 kg
FL 150 P 100W 15KLM 865 PS SY100 WT	4099854306341	66	08	100°	≥80	-30...+50	> 0.9	2.8 kg
FL 200 P 133W 20KLM 830 PS SY100 BK	4099854306365	66	08	100°	≥80	-30...+50	> 0.9	3.5 kg
FL 200 P 133W 20KLM 830 PS SY100 WT	4099854306389	66	08	100°	≥80	-30...+50	> 0.9	3.5 kg
FL 200 P 133W 20KLM 840 PS SY100 BK	4099854306402	66	08	100°	≥80	-30...+50	> 0.9	3.5 kg
FL 200 P 133W 20KLM 840 PS SY100 WT	4099854306426	66	08	100°	≥80	-30...+50	> 0.9	3.5 kg
FL 200 P 133W 20KLM 865 PS SY100 BK	4099854306464	66	08	100°	≥80	-30...+50	> 0.9	3.5 kg
FL 200 P 133W 20KLM 865 PS SY100 WT	4099854306488	66	08	100°	≥80	-30...+50	> 0.9	3.5 kg
FL 250 P 167W 25KLM 830 PS SY100 BK	4099854306563	66	08	100°	≥80	-30...+50	> 0.9	4.4 kg
FL 250 P 167W 25KLM 830 PS SY100 WT	4099854306587	66	08	100°	≥80	-30...+50	> 0.9	4.4 kg
FL 250 P 167W 25KLM 840 PS SY100 BK	4099854306600	66	08	100°	≥80	-30...+50	> 0.9	4.4 kg
FL 250 P 167W 25KLM 840 PS SY100 WT	4099854306624	66	08	100°	≥80	-30...+50	> 0.9	4.4 kg
FL 250 P 167W 25KLM 865 PS SY100 BK	4099854306648	66	08	100°	≥80	-30...+50	> 0.9	4.4 kg
FL 250 P 167W 25KLM 865 PS SY100 WT	4099854306662	66	08	100°	≥80	-30...+50	> 0.9	4.4 kg





						230Vac			
		A	B	C	⊞	⊞ m ²	C10A	B16A	C16A
69W		150	108	8.5	2x M6	0.045 m ²	25	40	41
100W		150	108	10.5	2x M8	0.070 m ²	6	5	9
133W		170	118	10.5	2x M8	0.085 m ²	4	4	7
167W		170	118	12.5	2x M10	0.105 m ²	4	4	7






FLOODLIGHT 69W-167W



FL 100P69W10KLM830PSSY100	53W/7320lm	69W/9150lm
FL 100P69W10KLM840PSSY100	53W/8000lm	69W/10000lm
FL 100P69W10KLM865PSSY100	53W/8000lm	69W/10000lm
FL 150P100W15KLM830PSSY100	83W/11670lm	100W/14000lm
FL 150P100W15KLM840PSSY100	83W/12500lm	100W/15000lm
FL 150P100W15KLM865PSSY100	83W/12500lm	100W/15000lm
FL 200P133W20KLM830PSSY100	117W/16275lm	133W/18600lm
FL 200P133W20KLM840PSSY100	117W/17500lm	133W/20000lm
FL 200P133W20KLM865PSSY100	117W/17500lm	133W/20000lm
FL 250P167W25KLM830PSSY100	150W/21060lm	167W/23400lm
FL 250P167W25KLM840PSSY100	150W/22500lm	167W/25000lm
FL 250P167W25KLM865PSSY100	150W/22500lm	167W/25000lm





Points de collecte sur www.quefairedemesdechets.fr
 Privilégiez la réparation ou le don de votre appareil !

LEDVANCE GmbH
 Steinerne Furt 62
 86167 Augsburg, Germany
www.ledvance.com

© LEDVANCE Ltd, Sterling House,
 810 Mandarin Court, Warrington,
 Cheshire, WA1 1GG, United Kingdom

C10449057
 G11201473
 27.06.24